

[Login](#)[Site Map](#) | [Online Support](#) | [Contact](#) | [Web Polides](#) | [IP Policy](#)[Site Search](#)[Go](#)[Standards Search](#)[View Shopping Cart](#)

## Standards

### Standards / Annual Book of ASTM Standards

The 80+ volume Annual Book of ASTM Standards contains ASTM's 12,000+ standards and is available in print, CD-ROM and Online formats. The volumes can be purchased individually, as a section (at a 25% discount) or as the complete 80+ volume set (at a 50% discount).

### Contents

#### ASTM Volume 01.06, February 2007

#### Coated Steel Products

[Return to Previous Page](#)

#### Table of Contents

A0090\_A0090M-01 Test Method for Weight \[Mass\] of Coating on Iron and Steel Articles with Zinc or Zinc-Alloy Coatings  
A0111-99AR04E01 Specification for Zinc-Coated (Galvanized) |P` Iron|P` Telephone and Telegraph Line Wire  
A0116-05 Specification for Metallic-Coated, Steel-Woven Wire Fence Fabric  
A0121-99R04 Specification for Metallic-Coated Carbon Steel Barbed Wire  
A0123\_A0123M-02 Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products  
A0143\_A0143M-03 Practice for Safeguarding Against Embrittlement of Hot-Dip Galvanized Structural Steel Products and Procedure for Detecting Embrittlement  
A0153\_A0153M-05 Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware  
A0239-95R04 Practice for Locating the Thinnest Spot in a Zinc (Galvanized) Coating on Iron or Steel Articles  
A0308\_A0308M-03 Specification for Steel Sheet, Terne (Lead-Tin Alloy) Coated by the Hot-Dip Process  
A0309-01 Test Method for Weight and Composition of Coating on Terne Sheet by the Triple-Spot Test  
A0363-03 Specification for Zinc-Coated (Galvanized) Steel Overhead Ground Wire Strand  
A0384\_A0384M-02 Practice for Safeguarding Against Warpage and Distortion During Hot-Dip Galvanizing of Steel Assemblies  
A0385-05 Practice for Providing High-Quality Zinc Coatings (Hot-Dip)  
A0390-06 Specification for Zinc-Coated (Galvanized) Steel Poultry Fence Fabric (Hexagonal and Straight Line)  
A0392-06 Specification for Zinc-Coated Steel Chain-Link Fence Fabric  
A0411-03 Specification for Zinc-Coated (Galvanized) Low-Carbon Steel Armor Wire  
A0428\_A0428M-01 Test Method for Weight \[Mass\] of Coating on Aluminum-Coated Iron or Steel Articles  
A0459-97R03 Specification for Zinc-Coated Flat Steel Armoring Tape  
A0460-94R04E01 Specification for Copper-Clad Steel Wire Strand  
A0463\_A0463M-05 Specification for Steel Sheet, Aluminum-Coated, by the Hot-Dip Process  
A0474-03 Specification for Aluminum-Coated Steel Wire Strand  
A0475-03 Specification for Zinc-Coated Steel Wire Strand  
A0491-03 Specification for Aluminum-Coated Steel Chain-Link Fence Fabric  
A0586-04A Specification for Zinc-Coated Parallel and Helical Steel Wire Structural Strand  
A0591\_A0591M Specification for Steel Sheet, Electrolytic Zinc-Coated, for Light Coating Weight \[Mass\] Applications  
A0599\_A0599M-02 Specification for Tin Mill Products, Electrolytic Tin-Coated, Cold-Rolled Sheet  
A0603-98R03 Specification for Zinc-Coated Steel Structural Wire Rope  
A0623-06A Specification for Tin Mill Products, General Requirements  
A0623M-06A Specification for Tin Mill Products, General Requirements \[Metric\]  
A0624\_A0624M-03 Specification for Tin Mill Products, Electrolytic Tin Plate, Single Reduced

### More Information

#### [Ordering Options](#)

Print, CD-ROM or **NOW** get Online Access to this Volume  
(Basic or Plus)

### View Contents

#### - [2007](#)

Standards: 115  
Pages: 828

#### - [2006](#)

Standards: 116  
Pages: 828

### Standards

#### [Search Standards](#)

#### [Annual Book of Standards](#)

#### [Subscriptions](#)

#### [Collections on DVD](#)

#### [Compilations](#)

#### [Track Standards](#)

### Books & Journals

#### [Technical Committees](#)

#### [Membership](#)

#### [Meetings](#)

#### [Symposia & Workshops](#)

#### [Training Courses](#)

#### [Proficiency Testing](#)

#### [Equipment Directory](#)

#### [Lab Directory](#)

#### [Consultants Directory](#)

#### [About ASTM](#)

#### [Magazines & Newsletters](#)

#### [Newsroom & Information](#)

#### [ASTM Campus](#)

#### [Global Cooperation](#)

### Product Information

[Get Product Updates](#)[Request A Free Catalog](#)[View Catalog](#)[Online Support](#)

A0625\_A0625M-03 Specification for Tin Mill Products, Black Plate, Single-Reduced

A0626\_A0626M-03 Specification for Tin Mill Products, Electrolytic Tin Plate, Double Reduced

A0630-03 Test Methods for Determination of Tin Coating Weights for Electrolytic Tin Plate

A0640-97R02E01 Specification for Zinc-Coated Steel Strand for Messenger Support of Figure 8 Cable

A0641\_A0641M-03 Specification for Zinc-Coated (Galvanized) Carbon Steel Wire

A0650\_A0650M-03 Specification for Tin Mill Products, Black Plate, Double Reduced

A0653\_A0653M-06 Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process

A0657\_A0657M-03 Specification for Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced

A0740-98R03 Specification for Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric)

A0741-98R03 Specification for Zinc-Coated Steel Wire Rope and Fittings for Highway Guardrail

A0742\_A0742M-03 Specification for Steel Sheet, Metallic Coated and Polymer Precoated for Corrugated Steel Pipe

A0754\_A0754M-06 Test Method for Coating Weight (Mass) of Metallic Coatings on Steel by X-Ray Fluorescence

A0755\_A0755M-03 Specification for Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products

A0760\_A0760M-06 Specification for Corrugated Steel Pipe, Metallic-Coated for Sewers and Drains

A0761\_A0761M-04 Specification for Corrugated Steel Structural Plate, Zinc-Coated, for Field-Bolted Pipe, Pipe-Arches, and Arches

A0762\_A0762M-00 Specification for Corrugated Steel Pipe, Polymer Precoated for Sewers and Drains

A0780-01 Practice for Repair of Damaged and Uncoated Areas of Hot-Dip Galvanized Coatings

A0792\_A0792M-06 Specification for Steel Sheet, 55 % Aluminum-Zinc Alloy-Coated by the Hot-Dip Process

A0796\_A0796M-06 Practice for Structural Design of Corrugated Steel Pipe, Pipe-Arches, and Arches for Storm and Sanitary Sewers and Other Buried Applications

A0798\_A0798M-01 Practice for Installing Factory-Made Corrugated Steel Pipe for Sewers and Other Applications

A0807\_A0807M-02E01 Practice for Installing Corrugated Steel Structural Plate Pipe for Sewers and Other Applications

A0809-03 Specification for Aluminum-Coated (Aluminized) Carbon Steel Wire

A0810-01 Specification for Zinc-Coated (Galvanized) Steel Pipe Winding Mesh

A0817-03 Specification for Metallic-Coated Steel Wire for Chain-Link Fence Fabric and Marcellled Tension Wire

A0818-06 Specification for Coppered Carbon Steel Wire

A0824-01 Specification for Metallic-Coated Steel Marcellled Tension Wire for Use With Chain Link Fence

A0849-00R05 Specification for Post-Applied Coatings, Pavings, and Linings for Corrugated Steel Sewer and Drainage Pipe

A0854\_A0854M-98R03 Specification for Metallic-Coated Steel Smooth High-Tensile Fence and Trellis Wire

A0855\_A0855M-03 Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Wire Strand

A0856\_A0856M-03 Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Carbon Steel Wire

A0862\_A0862M-98R03 Practice for Application of Asphalt Coatings to Corrugated Steel Sewer and Drainage Pipe

A0875\_A0875M-05 Specification for Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process

A0879\_A0879M-04 Specification for Steel Sheet, Zinc Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface

A0885\_A0885M Specification for Steel Sheet, Zinc and Aramid Fiber Composite Coated for Corrugated Steel Sewer, Culvert, and Underdrain Pipe

A0896-89R04 Practice for Conducting Case Studies on Galvanized Structures

A0902-06 Terminology Relating to Metallic Coated Steel Products

A0917-06 Specification for Steel Sheet, Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface (General Requirements)

A0918-00R05 Specification for Steel Sheet, Zinc-Nickel Alloy Coated by the Electrolytic Process for Applications Requiring Designation of the Coating Mass on Each Surface

A0924\_A0924M-06 Specification for General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process

A0925-03 Specification for Zinc-5 % Aluminum-Mischmetal Alloy-Coated Steel Overhead Ground Wire Strand

A0926-03 Test Method for Comparing the Abrasion Resistance of Coating Materials for Corrugated Metal Pipe  
 A0929\_A0929M-01 Specification for Steel Sheet, Metallic-Coated by the Hot-Dip Process for Corrugated Steel Pipe  
 A0930-03 Practice for Life-Cycle Cost Analysis of Corrugated Metal Pipe Used for Culverts, Storm Sewers, and Other Buried Conduits  
 A0964\_A0964M-03 Specification for Corrugated Steel Box Culverts  
 A0974-97R03 Specification for Welded Wire Fabric Gabions and Gabion Mattresses (Metallic-Coated or Polyvinyl Chloride (PVC) Coated)  
 A0975-97R03 Specification for Double\NTwisted Hexagonal Mesh Gabions and Revet Mattresses (Metallic\NCoated Steel Wire or Metallic-Coated Steel Wire With Poly(Vinyl Chloride) (PVC) Coating)  
 A0978\_A0978M-97R02E01 Specification for Composite Ribbed Steel Pipe, Precoated and Polyethylene Lined for Gravity Flow Sanitary Sewers, Storm Sewers, and Other Special Applications  
 A0979\_A0979M-03 Specification for Concrete Pavements and Linings Installed in Corrugated Steel Structures in the Field  
 A0987-05 Test Method for Measuring Shape Characteristics of Tin Mill Products  
 A0998\_A0998M-98R03 Practice for Structural Design of Reinforcements for Fittings in Factory\NMade Corrugated Steel Pipe for Sewers and Other Applications  
 A1003\_A1003M-05 Specification for Steel Sheet, Carbon, Metallic- and Nonmetallic-Coated for Cold-Formed Framing Members  
 A1004\_A1004M-99R04 Practice for Establishing Conformance to the Minimum Expected Corrosion Characteristics of Metallic, Painted-Metallic, and Nonmetallic-Coated Steel Sheet Intended for Use as Cold Formed Framing Members  
 A1019\_A1019M-01 Specification for Closed Rib Steel Pipe with Diameter of 36 in. \[900 mm\] or Less, Polymer Precoated for Sewers and Drains  
 A1030\_A1030M-05 Practice for Measuring Flatness Characteristics of Steel Sheet Products  
 A1042\_A1042M-04 Specification for Composite Corrugated Steel Pipe for Sewers and Drains  
 A1046\_A1046M-06 Specification for Steel Sheet, Zinc-Aluminum-Magnesium Alloy-Coated by the Hot-Dip Process  
 F0537-01 Specification for Design, Fabrication, and Installation of Fences Constructed of Wood and Related Materials  
 F0552-02 Terminology Relating to Chain Link Fencing  
 F0567-00 Practice for Installation of Chain-Link Fence  
 F0626-96AR03 Specification for Fence Fittings  
 F0654-03 Specification for Residential Chain Link Fence Gates  
 F0668-06 Specification for Polyvinyl Chloride (PVC) and Other Organic Polymer-Coated Steel Chain-Link Fence Fabric  
 F0900-05 Specification for Industrial and Commercial Swing Gates  
 F0934-96R03 Specification for Standard Colors for Polymer-Coated Chain Link Fence Materials  
 F0964-02 Specification for Rigid Poly (Vinyl Chloride) (PVC) Exterior Profiles Used for Fencing and Railing  
 F0969-01 Practice for Construction of Chain-Link Tennis Court Fence  
 F1043-06 Specification for Strength and Protective Coatings on Steel Industrial Chain Link Fence Framework  
 F1083-06 Specification for Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures  
 F1183-96R06 Specification for Aluminum Alloy Chain Link Fence Fabric  
 F1184-05 Specification for Industrial and Commercial Horizontal Slide Gates  
 F1345-96R03 Specification for Zinc-5\t\% Aluminum-Mischmetal Alloy-Coated Steel Chain-Link Fence Fabric  
 F1379-95R03 Terminology Relating to Barbed Tape  
 F1553-06 Guide for Specifying Chain Link Fence  
 F1664-01 Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence  
 F1665-01 Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Barbed Wire Used With Chain-Link Fence  
 F1712-06 Specification for Steel Chain-Link Fencing Materials Used for High Security Applications  
 F1908-06 Guide for Fences for Residential Outdoor Swimming Pools, Hot Tubs, and Spas  
 F1910-98R03 Specification for Long Barbed Tape Obstacles  
 F1911-05 Practice for Installation of Barbed Tape  
 F1999-00R06 Practice for Installation of Rigid Poly(Vinyl Chloride) (PVC) Fence Systems  
 F2000-06 Guide for Fences for Ballfields and Other Sports Facilities  
 F2049-03 Guide for Fences/Barriers for Public, Commercial, and Multi-Family Residential Use Outdoor Play Areas  
 F2200-05 Specification for Automated Vehicular Gate Construction  
 F2408-06 Specification for Ornamental Fences Employing Galvanized Steel Tubular Pickets  
 F2453\_F2453M-05 Specification for Welded Wire Mesh Fence Fabric (Metallic-Coated or Polymer Coated) for Meshes of 6 in. \[3871 mm\] or Less, in Panels or Rolls, with Uniform Meshes

F2548-06 Specification for Expanded Metal Fence Systems for Security  
Purposes  
F2589-06 Specification for Ornamental Fences Employing Steel Tubular  
Pickets  
F2611-06 Guide for Design and Construction of Chain Link Security Fencing

[Site Map](#) | [Online Support](#) | [Contact](#) | [Privacy Policy](#) | [IP Policy](#)

Copyright © 1996-2007 ASTM. All Rights Reserved.

ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA, 19428-2959 USA