

[Login](#)[Site Map](#) | [Online Support](#) | [Contact](#) | [Web Polides](#) | [IP Policy](#)[Site Search](#)[Go](#)[Standards Search](#)[View Shopping Cart](#)

Standards

Standards / Annual Book of ASTM Standards

The 80+ volume Annual Book of ASTM Standards contains ASTM's 12,000+ standards and is available in print, CD-ROM and Online formats. The volumes can be purchased individually, as a section (at a 25% discount) or as the complete 80+ volume set (at a 50% discount).

Contents

ASTM Volume 09.01, July 2007

Rubber, Natural and Synthetic -- General Test Methods; Carbon Black

[Return to Previous Page](#)

Table of Contents

D0297-93R06 Test Methods for Rubber Products\MCheical Analysis
D0395-03 Test Methods for Rubber Property\MCompression Set
D0412-06A Test Methods for Vulcanized Rubber and Thermoplastic Elastomers\MTension
D0413-98R02E01 Test Methods for Rubber Property\MAhesion to Flexible Substrate
D0429-03E01 Test Methods for Rubber Property\MAhesion to Rigid Substrates
D0430-06 Test Methods for Rubber Deterioration\MDynamic Fatigue
D0454-04 Test Method for Rubber Deterioration by Heat and Air Pressure
D0471-06 Test Method for Rubber Property\MEffect of Liquids
D0518-99 Test Method for Rubber Deterioration\MSurface Cracking
D0531-00R05 Test Method for Rubber Property\MPusey and Jones Indentation
D0572-04 Test Method for Rubber\MDeterioration by Heat and Oxygen
D0573-04 Test Method for Rubber\MDeterioration in an Air Oven
D0575-91R01 Test Methods for Rubber Properties in Compression
D0623-07 Test Methods for Rubber Property\MHeat Generation and Flexing Fatigue In Compression
D0624-00E01 Test Method for Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers
D0750-06 Test Method for Rubber Deterioration Using Artificial Weathering Apparatus
D0813-07 Test Method for Rubber Deterioration\MCrack Growth
D0814-95R05 Test Method for Rubber Property\MVapor Transmission of Volatile Liquids
D0816-06 Test Methods for Rubber Cements
D0832-92R01E01 Practice for Rubber Conditioning For Low Temperature Testing
D0865-99R05 Test Method for Rubber\MDeterioration by Heating in Air (Test Tube Enclosure)
D0925-06 Test Methods for Rubber Property\MStaining of Surfaces (Contact, Migration, and Diffusion)
D0926-04 Test Method for Rubber Property\MPIasticity and Recovery (Parallel Plate Method)
D0945-06 Test Methods for Rubber Properties in Compression or Shear (Mechanical Oscillograph)
D0991-89R05 Test Method for Rubber Property\MVolume Resistivity Of Electrically Conductive and Antistatic Products
D1052-05 Test Method for Measuring Rubber Deterioration\MCut Growth Using Ross Flexing Apparatus
D1053-92AR01E01 Test Methods for Rubber Property\MStiffening at Low Temperatures: Flexible Polymers and Coated Fabrics
D1054-02E01 Test Method for Rubber Property\MResilience Using a Goodyear-Healey Rebound Pendulum
D1076-06 Specification for Rubber\MConcentrated, Ammonia Preserved, Creamed, and Centrifuged Natural Latex
D1148-07 Test Method for Rubber Deterioration\MDiscoloration from Ultraviolet (UV) and Heat Exposure of Light-Colored Surfaces

More Information

[Ordering Options](#)

Print, CD-ROM or **NOW** get Online Access to this Volume (Basic or Plus)

View Contents

- [2007](#)

Standards: 203
Pages: 1242

- [2006](#)

Standards: 205
Pages: 1232

Standards

[Search Standards](#)[Annual Book of Standards](#)[Subscriptions](#)[Collections on DVD](#)[Compilations](#)[Track Standards](#)

Books & Journals

[Technical Committees](#)[Membership](#)[Meetings](#)[Symposia & Workshops](#)[Training Courses](#)[Proficiency Testing](#)[Equipment Directory](#)[Lab Directory](#)[Consultants Directory](#)[About ASTM](#)[Magazines & Newsletters](#)[Newsroom & Information](#)[ASTM Campus](#)[Global Cooperation](#)

Product Information

[Get Product Updates](#)[Request A Free Catalog](#)[View Catalog](#)[Online Support](#)

D1149-99 Test Method for Rubber Deterioration\MSurface Ozone Cracking in a Chamber
D1171-99 Test Method for Rubber Deterioration\MSurface Ozone Cracking Outdoors or Chamber (Triangular Specimens)
D1229-03 Test Method for Rubber Property\MCompression Set at Low Temperatures
D1278-91AR07 Test Methods for Rubber from Natural Sources\MChemical Analysis
D1329-02 Test Method for Evaluating Rubber Property\MRetraction at Lower Temperatures (TR Test)
D1349-99R05 Practice for Rubber\MStandard Temperatures for Testing
D1415-06 Test Method for Rubber Property\MInternational Hardness
D1417-03A Test Methods for Rubber Latices\MSynthetic
D1418-06 Practice for Rubber and Rubber Latices\MNomenclature
D1456-86R05 Test Method for Rubber Property\MElongation at Specific Stress
D1460-86R05 Test Method for Rubber Property\MChange in Length During Liquid Immersion
D1485-07 Practice for Rubber from Natural Sources\MSampling and Sample Preparation
D1506-99 Test Methods for Carbon Black\MAsh Content
D1508-02E02 Test Method for Carbon Black, Pelleted Fines and Attrition
D1509-95R00 Test Methods for Carbon Black\MHeating Loss
D1510-06A Test Method for Carbon Black\MIodine Adsorption Number
D1511-00R06 Test Method for Carbon Black\MPellet Size Distribution
D1512-05 Test Methods for Carbon Black\MpH Value
D1513-05 Test Method for Carbon Black, Pelleted\MPour Density
D1514-04 Test Method for Carbon Black\MSieve Residue
D1519-95R04E01 Test Methods for Rubber Chemicals\MDetermination of Melting Range
D1566-06B Terminology Relating to Rubber
D1618-99R04 Test Method for Carbon Black Extractables\MTransmittance of Toluene Extract
D1619-03 Test Methods for Carbon Black\MSulfur Content
D1630-06 Test Method for Rubber Property\MAbrasion Resistance (Footwear Abrader)
D1646-06 Test Methods for Rubber\MViscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer)
D1765-06 Classification System for Carbon Blacks Used in Rubber Products
D1766-05 Test Method for Rubber Chemicals\MSolubility
D1799-03A Practice for Carbon Black\MSampling Packaged Shipments
D1817-05 Test Method for Rubber Chemicals\MDensity
D1900-06 Practice for Carbon Black\MSampling Bulk Shipments
D1917-03 Test Methods for Rubber Property\MShrinkage of Raw and Compounded Hot-Polymerized Styrene-Butadiene Rubber (SBR)
D1937-05 Test Method for Carbon Black, Pelleted\MMass Strength
D1991-05 Test Method for Rubber Chemicals\M2-Mercaptobenzothiazole (MBT)\MAssay
D1992-91R06 Guide for Testing Synthetic Plasticizers Used in Rubber
D1993-03 Test Method for Precipitated Silica-Surface Area by Multipoint BET Nitrogen Adsorption
D2084-06 Test Method for Rubber Property\MVulcanization Using Oscillating Disk Cure Meter
D2136-02E01 Test Method for Coated Fabrics\MLow-Temperature Bend Test
D2137-05 Test Methods for Rubber Property\MBrittleness Point of Flexible Polymers and Coated Fabrics
D2226-93R02 Classification for Various Types of Petroleum Oils for Rubber Compounding Use
D2227-96R07 Specification for Natural Rubber (NR) Technical Grades
D2228-04E01 Test Method for Rubber Property\MRelative Abrasion Resistance by Pico Abrader Method
D2230-96R02E01 Test Method for Rubber Property\MExtrudability of Unvulcanized Compounds
D2240-05 Test Method for Rubber Property\MDurometer Hardness
D2414-06A Test Method for Carbon Black\MOil Absorption Number (OAN)
D2449-88R07 Specification for Rubber Bales From Natural Sources\MLimit on Coating
D2632-01 Test Method for Rubber Property\MResilience by Vertical Rebound
D2663-06 Test Methods for Carbon Black\MDispersion in Rubber
D2702-05 Practice for Rubber Chemicals\MDetermination of Infrared Absorption Characteristics
D3053-06A Terminology Relating to Carbon Black
D3137-81R07 Test Method for Rubber Property\MHydrolytic Stability
D3156-96R05 Practice for Rubber\MChromatographic Analysis of Antidegradants (Antioxidants, Antiozonants and Stabilizers)
D3157-05 Test Method for Rubber from Natural Sources\MColor
D3182-89R06 Practice for Rubber\MMaterials, Equipment, and Procedures for Mixing Standard Compounds and Preparing Standard Vulcanized Sheets
D3183-07 Practice for Rubber\MPreparation of Product Pieces for Test Purposes from Products
D3184-07 Test Methods for Rubber\MEvaluation of NR (Natural Rubber)

D3185-06 Test Methods for Rubber\MEvaluation of SBR (Styrene-Butadiene Rubber) Including Mixtures With Oil
 D3186-07 Test Methods for Rubber\MEvaluation of SBR (Styrene-Butadiene Rubber) Mixed With Carbon Black or Carbon Black and Oil
 D3187-06 Test Methods for Rubber\MEvaluation of NBR (Acrylonitrile-Butadiene Rubber)
 D3188-06 Test Methods for Rubber\MEvaluation of IIR (Isobutene-Isoprene Rubber)
 D3189-06 Test Methods for Rubber\MEvaluation of Solution BR (Polybutadiene Rubber)
 D3190-06 Test Method for Rubber\MEvaluation of Chloroprene Rubber (CR)
 D3191-06 Test Methods for Carbon Black in SBR (Styrene-Butadiene Rubber) \MRecipe and Evaluation Procedures
 D3192-05 Test Methods for Carbon Black Evaluation in NR (Natural Rubber)
 D3194-04 Test Method for Rubber From Natural Sources\MPlasticity Retention Index (PRI)
 D3265-06 Test Method for Carbon Black\MTint Strength
 D3313-05A Test Method for Carbon Black\MIndividual Pellet Hardness
 D3314-02R06 Test Method for Rubber\MChemical Analysis for Polystyrene Blocks In SBR (Styrene-Butadiene Rubber) and Styrene-Reinforced Latices
 D3346-03 Test Methods for Rubber Property\MProcessability of Emulsion SBR (Styrene-Butadiene Rubber) With the Mooney Viscometer (Delta Mooney)
 D3395-99 Test Methods for Rubber Deterioration\MDynamic Ozone Cracking in a Chamber
 D3403-07 Test Methods for Rubber\MEvaluation of IR (Isoprene Rubber)
 D3452-06 Practice for Rubber\MIdentification by Pyrolysis-Gas Chromatography
 D3484-06 Test Methods for Rubber\MEvaluation of Oil-Extended Solution BR (Polybutadiene Rubber)
 D3493-06E01 Test Method for Carbon Black\MOil Absorption Number of Compressed Sample (COAN)
 D3533 Test Method for Rubber\MNitrogen Content
 D3566-03 Practice for Rubber\MDetermination of Bromine in the Presence of Chlorine by Oxygen Combustion
 D3568-03 Test Methods for Rubber\MEvaluation of EPDM (Ethylene Propylene Diene Terpolymers) Including Mixtures With Oil
 D3616-95R04E01 Test Method for Rubber\MDetermination of Gel, Swelling Index, and Dilute Solution Viscosity
 D3629 Test Method for Rubber Property\MCut Growth Resistance
 D3677-00R04 Test Methods for Rubber\MIdentification by Infrared Spectrophotometry
 D3765-04 Test Method for Carbon Black\MCTAB (Cetyltrimethylammonium Bromide) Surface Area
 D3767-03 Practice for Rubber\MMeasurement of Dimensions
 D3847-01 Practice for Rubber\MDirections for Achieving Subnormal Test Temperatures
 D3848-03 Test Methods for Rubber\MEvaluation of NBR (Acrylonitrile-Butadiene Copolymers) Mixed With Carbon Black
 D3849-04 Test Method for Carbon Black\MMorphological Characterization of Carbon Black Using Electron Microscopy
 D3853-03E01 Terminology Relating to Rubber and Rubber Latices\MAbbreviations for Chemicals Used in Compounding
 D3896-07 Practice for Rubber From Synthetic Sources\MSampling
 D3900-05A Test Methods for Rubber\MDetermination of Ethylene Units in Ethylene-Propylene Copolymers (EPM) and in Ethylene-Propylene-Diene Terpolymers (EPDM) by Infrared Spectrometry
 D3958-06 Test Methods for Rubber\MEvaluation of BIIR and CIIR (Halogenated Isobutene\MIsooprene Rubber)
 D4004-06 Test Methods for Rubber\MDetermination of Metal Content by Flame Atomic Absorption (AAS) Analysis
 D4026-06 Test Method for Rubber Latex\MStyrene-Butadiene Copolymer\MDetermination of Residual Styrene
 D4075-06 Test Methods for Rubber Compounding Materials\MFlame Atomic Absorption Analysis\MDetermination of Metals
 D4122-06 Practice for Carbon Black\MEvaluation of an Industry Reference Black
 D4295-89R05 Classification for Rubber Compounding Materials\MZinc Oxide
 D4315-94R06 Test Methods for Rubber Compounding Material\MZinc Oxide
 D4482-06 Test Method for Rubber Property\MExtension Cycling Fatigue
 D4483-05A Practice for Evaluating Precision for Test Method Standards in the Rubber and Carbon Black Manufacturing Industries
 D4527-99R04 Test Method for Carbon Black\MSolvent Extractables
 D4528-88R02 Classification for Rubber Compounding Materials\MSulfur
 D4569-06 Test Method for Rubber Compounding Materials\MDetermination of Acidity in Sulfur
 D4570-02 Test Method for Rubber Chemicals\MDetermination of Particle Size of Sulfur by Sieving (Dry)
 D4571-06 Test Methods for Rubber Compounding Materials\MDetermination of Volatile Material
 D4572-89R05 Test Method for Rubber Chemicals\MWet Sieve Analysis of Sulfur

D4573-03 Test Method for Rubber Chemicals\MDetermination of Oil Content in Oil-Treated Sulfur

D4574-06 Test Methods for Rubber Compounding Materials\MDetermination of Ash Content

D4575-99R05 Test Methods for Rubber Deterioration\MReference and Alternative Method(s) for Determining Ozone Level in Laboratory Test Chambers

D4578-06 Test Methods for Rubber Chemicals\MDetermination of Percent Sulfur by Extraction

D4583-95R04 Practice for Carbon Black\MCalculation of Process Indexes From an Analysis of Process Control Data

D4620-02 Test Method for Evaluating the Effective Surface Area of Zinc Oxide in Rubber

D4676-94R06 Classification for Rubber Compounding Materials\MAntidegradants

D4677-87R02 Classification for Rubber Compounding Materials\MTitanium Dioxide

D4678-04 Practice for Rubber\MPreparation, Testing, Acceptance, Documentation, and Use of Reference Materials

D4817-88R05 Classification for Rubber Compounding Materials\MStearic Acid

D4818-89R05 Classification for Rubber Compounding Materials\MVulcanization Accelerators

D4821-06 Guide for Carbon Black\MValidation of Test Method Precision and Bias

D4924-89R05 Classification for Petroleum Waxes for Use in Rubber Compounding

D4934-02R06 Test Method for Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators\MInsolubles

D4936-05 Test Method for Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration

D4937-96R06E01 Test Method for -Phenylenediamine Antidegradants Purity by Gas Chromatography

D5044-06 Test Method for Rubber Compounding Materials\MFree 2-Mercaptobenzothiazole (MBT) in Benzothiazyl Disulfide (MBTS)

D5051-06 Test Method for Rubber Compounding Materials\MBenzothiazyl Disulfide (MBTS)\MAssay

D5054-90R04E01 Test Method for Rubber Chemicals\MDiphenyl Guanidine (DPG) and Di-o-tolyl-guanidine (DOTG) Assay

D5099-93R03 Test Methods for Rubber\MMeasurement of Processing Properties Using Capillary Rheometry

D5230-05 Test Method for Carbon Black\MAutomated Individual Pellet Hardness

D5289-06 Test Method for Rubber Property\MVulcanization Using Rotorless Cure Meters

D5297-95R04 Test Methods for Rubber Chemical Accelerator\MPurity by High Performance Liquid Chromatography

D5376-06 Test Method for Rubber Compounding Materials\MDetermination of the Basic Nitrogen Content in Rubber Antioxidant: Polymerized TMQ

D5377-93R02 Classification for Rubber Compounding Materials\MGround Coal

D5406-93R06 Practice for Rubber\MCalculation of Producer's Process Performance Indexes

D5460-02R06 Test Method for Rubber Compounding Materials\MWater in Rubber Additives

D5461-06 Test Method for Rubber Compounding Materials\MWet Sieve Analysis of Powdered Rubber Compounding Materials

D5538-02 Practice for Thermoplastic Elastomers\MTerminology and Abbreviations

D5603-01 Classification for Rubber Compounding Materials\MRecycled Vulcanizate Particulate Rubber

D5604-96R06 Test Methods for Precipitated Silica\MSurface Area by Single Point B.E.T. Nitrogen Adsorption

D5605-94R07 Practice for Styrene-Butadiene Rubber (SBR)\MEstablishing Raw Mooney Viscosity Target Values

D5644-01 Test Methods for Rubber Compounding Materials\MDetermination of Particle Size Distribution of Recycled Vulcanizate Particulate Rubber

D5666-95R04E01 Test Method for Rubber Chemical Antidegradants\MPurity of -Phenylenediamine (PPD) Antidegradants by High Performance Liquid Chromatography

D5667-95R05 Test Method for Rubber From Synthetic Sources\MTotal and Water Soluble Ash

D5668-99R03 Test Methods for Rubber From Synthetic Sources\MVolatile Matter

D5670-95R04E01 Test Method for Rubber\MDetermination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Infrared Spectrophotometry

D5774-95R04E02 Test Methods for Rubber\MChemical Analysis of Extractables

D5775-95R04E01 Test Method for Rubber\MDetermination of Bound Styrene in Styrene Butadiene Rubber by Refractive Index

D5805-00R04E01 Test Methods for Rubber\MDetermination of Carbon Black

in Masterbatches
 D5817-03A Practice for Carbon Black, Pelleted\MReduction, Blending, and Drying of Gross Samples for Testing
 D5899-98R02 Classification System for Rubber Compounding Materials for Use in Computer Material Management Systems
 D5900-03 Specification for Physical and Chemical Properties of Industry Reference Materials (IRM)
 D5902-05 Test Method for Rubber\MDetermination of Residual Unsaturation in Hydrogenated Nitrile Rubber (HNBR) by Iodine Value
 D5963-04 Test Method for Rubber Property\MAbrasion Resistance (Rotary Drum Abrader)
 D5964-96R01 Practice for Rubber IRM 902 and IRM 903 Replacement Oils for ASTM No. 2 and ASTM No. 3 Oils
 D5992-96R06 Guide for Dynamic Testing of Vulcanized Rubber and Rubber-Like Materials Using Vibratory Methods
 D6047-99R03 Test Methods for Rubber, Raw\MDetermination of 5-Ethylidenenorbornene (ENB) or Dicyclopentadiene (DCPD) in Ethylene-Propylene-Diene (EPDM) Terpolymers
 D6048-02 Practice for Stress Relaxation Testing of Raw Rubber, Unvulcanized Rubber Compounds, and Thermoplastic Elastomers
 D6049-03 Test Method for Rubber Property\MMeasurement of the Viscous and Elastic Behavior of Unvulcanized Raw Rubbers and Rubber Compounds by Compression Between Parallel Plates
 D6085-97R06 Practice for Sampling in Rubber Testing\MTerminology and Basic Concepts
 D6086-05 Test Method for Carbon Black\MVoid Volume (VV)
 D6147-97R02 Test Method for Vulcanized Rubber and Thermoplastic Elastomer\MDetermination of Force Decay (Stress Relaxation) in Compression
 D6204-05 Test Method for Rubber\MMeasurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers
 D6370-99R03 Test Method for Rubber\MCompositional Analysis by Thermogravimetry (TGA)
 D6556-04 Test Method for Carbon Black\MTotal and External Surface Area by Nitrogen Adsorption
 D6600-00R04 Practice for Evaluating Test Sensitivity for Rubber Test Methods
 D6601-02 Test Method for Rubber Properties\MMeasurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer
 D6602-03B Practice for Sampling and Testing of Possible Carbon Black Fugitive Emissions or Other Environmental Particulate, or Both
 D6738-01R06 Test Method for Precipitated Silica\MVolatile Content
 D6739-01R06 Test Method for Silica\MpH Value
 D6740-01R06 Test Method for Silanes Used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Residue on Ignition
 D6741-01R06 Test Methods for Silanes Used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Sulfur Content
 D6746-03 Test Method for Raw Rubber or Unvulcanized Compounds\MDetermination of Tensile Green Strength
 D6814-02E01 Test Method for Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density
 D6843-02 Test Method for Silanes Used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Characterization by Gas Chromatography (GC)
 D6844-02 Test Method for Silanes Used in Rubber Formulations (bis-(triethoxysilylpropyl)sulfanes): Characterization by High Performance Liquid Chromatography (HPLC)
 D6845-02 Test Method for Silica, Precipitated, Hydrated\MCTAB (Cetyltrimethylammonium Bromide) Surface Area
 D6854-03 Test Method for Silica\Mn-Dibutyl Phthalate Absorption Number
 D6915-05B Practice for Carbon Black\MEvaluation of Standard Reference Blacks
 D7050-04 Practice for Rubber from Natural Sources\MSampling and Sorting Bales Based on Predicted Processing Properties
 D7121-05 Test Method for Rubber Property\MResilience Using Schob Type Rebound Pendulum