

[Login](#)[Site Map](#) | [Online Support](#) | [Contact](#) | [Web Polides](#) | [IP Policy](#)[Site Search](#)[Go](#)[Standards Search](#)[View Shopping Cart](#)**Standards**[Search Standards](#)[Annual Book of Standards](#)[Subscriptions](#)[Collections on DVD](#)[Compilations](#)[Track Standards](#)**Books & Journals**[Technical Committees](#)[Membership](#)[Meetings](#)[Symposia & Workshops](#)[Training Courses](#)[Proficiency Testing](#)[Equipment Directory](#)[Lab Directory](#)[Consultants Directory](#)[About ASTM](#)[Magazines & Newsletters](#)[Newsroom & Information](#)[ASTM Campus](#)[Global Cooperation](#)**Product Information**[Get Product Updates](#)[Request A Free Catalog](#)[View Catalog](#)[Online Support](#)

Standards

Standards / Annual Book of ASTM Standards

The 80+ volume Annual Book of ASTM Standards contains ASTM's 12,000+ standards and is available in print, CD-ROM and Online formats. The volumes can be purchased individually, as a section (at a 25% discount) or as the complete 80+ volume set (at a 50% discount).

Contents

ASTM Volume 08.02, June 2007**Plastics (II): D 3222 - D 5083**[Return to Previous Page](#)

Table of Contents

D3222-05 Specification for Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials
D3275-06 Classification System for E-CTFE-Fluoroplastic Molding, Extrusion, and Coating Materials
D3291-97R03 Practice for Compatibility of Plasticizers in Poly(Vinyl Chloride) Plastics Under Compression
D3294-03 Specification for Polytetrafluoroethylene (PTFE) Resin Molded Sheet and Molded Basic Shapes
D3295-06 Specification for PTFE Tubing, Miniature Beading and Spiral Cut Tubing
D3296-03 Specification for FEP-Fluorocarbon Tube
D3307-06 Specification for Perfluoroalkoxy (PFA)-Fluorocarbon Resin Molding and Extrusion Materials
D3308-06 Specification for PTFE Resin Skived Tape
D3350-06 Specification for Polyethylene Plastics Pipe and Fittings Materials
D3354-04 Test Method for Blocking Load of Plastic Film by the Parallel Plate Method
D3364-99R04 Test Method for Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications
D3367-98R04 Test Method for Plasticizer Sorption of Poly(Vinyl Chloride) Resins Under Applied Centrifugal Force
D3368-04 Specification for FEP-Fluorocarbon Sheet and Film
D3369 Specification for Polytetrafluoroethylene (PTFE) Resin Cast Film
D3417 Test Method for Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry (DSC)
D3418-03 Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry
D3419-00R06 Practice for In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds
D3420-95R02 Test Method for Pendulum Impact Resistance of Plastic Film
D3453-01 Specification for Flexible Cellular Materials\MUrethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications
D3465-00 Test Method for Purity of Monomeric Plasticizers by Gas Chromatography
D3489-06 Test Methods for Microcellular Urethane Materials
D3574-05 Test Methods for Flexible Cellular Materials\MSlab, Bonded, and Molded Urethane Foams
D3575-00E01 Test Methods for Flexible Cellular Materials Made From Olefin Polymers
D3576-04 Test Method for Cell Size of Rigid Cellular Plastics
D3591-97R03 Test Method for Determining Logarithmic Viscosity Number of Poly(Vinyl Chloride) (PVC) in Formulated Compounds
D3594-93R06 Test Method for Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers
D3595-02 Specification for Polychlorotrifluoroethylene (PCTFE) Extruded Plastic Sheet and Film
D3596-92R01 Practice for Determination of Gels (Fisheyes) In General-Purpose Poly(Vinyl Chloride) (PVC) Resins
D3641-02 Practice for Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials

More Information

[Ordering Options](#)

Print, CD-ROM or **NOW** get Online Access to this Volume (Basic or Plus)

View Contents

[- 2007](#)

Standards: 141
Pages: 918

[- 2006](#)

Standards: 145
Pages: 924



D3647-03 Practice for Classifying Reinforced Plastic Pultruded Shapes According to Composition
 D3675-05 Test Method for Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source
 D3676-01 Specification for Rubber Cellular Cushion Used for Carpet or Rug Underlay
 D3748-03 Practice for Evaluating High-Density Rigid Cellular Plastics
 D3749-95R02 Test Method for Residual Vinyl Chloride Monomer in Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique
 D3763-06 Test Method for High Speed Puncture Properties of Plastics Using Load and Displacement Sensors
 D3768-06 Test Method for Microcellular Urethanes\MFlexural Recovery
 D3769-05 Test Method for Microcellular Urethanes\MHigh-Temperature Sag
 D3795-00AR06 Test Method for Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer
 D3801-06 Test Method for Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position
 D3814-06 Guide for Locating Combustion Test Methods for Polymeric Materials
 D3826-98R02 Practice for Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test
 D3835-02 Test Method for Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer
 D3846-02 Test Method for In-Plane Shear Strength of Reinforced Plastics
 D3851-97R03E01 Specification for Urethane Microcellular Shoe Soling Materials
 D3892-93R03 Practice for Packaging/Packing of Plastics
 D3895-06 Test Method for Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry
 D3914-02 Test Method for In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod
 D3915-06 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Pressure Applications
 D3916-02 Test Method for Tensile Properties of Pultruded Glass-Fiber-Reinforced Plastic Rod
 D3917-96R02E01 Specification for Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes
 D3918-96R03 Terminology Relating to Reinforced Plastic Pultruded Products
 D3935-02 Specification for Polycarbonate (PC) Unfilled and Reinforced Material
 D3965-05 Specification for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings
 D3981-03 Specification for Polyethylene Films Made from Medium-Density Polyethylene for General Use and Packaging Applications
 D4000-04E01 Classification System for Specifying Plastic Materials
 D4001-93R06 Test Method for Determination of Weight-Average Molecular Weight of Polymers By Light Scattering
 D4020-05 Specification for Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials
 D4065-06 Practice for Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures
 D4066-01A Classification System for Nylon Injection and Extrusion Materials (PA)
 D4067-03 Classification System for Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods
 D4092-07 Terminology for Plastics: Dynamic Mechanical Properties
 D4093-95R05E01 Test Method for Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials
 D4094-00 Test Method for Acid Content of Ethylene-Acrylic Acid Copolymers
 D4101-07 Specification for Polypropylene Injection and Extrusion Materials
 D4181 Classification for Acetal (POM) Molding and Extrusion Materials
 D4203-07 Specification for Styrene-Acrylonitrile (SAN) Injection and Extrusion Materials
 D4204-06 Practice for Preparing Plastic Film Specimens for a Round-Robin Study
 D4216-06 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds
 D4218-96R01 Test Method for Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique
 D4225-03 Specification for Styrene-Butadiene Sheetting
 D4272-03 Test Method for Total Energy Impact of Plastic Films By Dart Drop
 D4273-05 Test Method for Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols
 D4274-05 Test Methods for Testing Polyurethane Raw Materials: Determination of Hydroxyl Numbers of Polyols
 D4275-02 Test Method for Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene\NVinyl Acetate (EVA) Copolymers By Gas Chromatography
 D4321-04 Test Method for Package Yield of Plastic Film

D4322-96R01E01 Test Method for Residual Acrylonitrile Monomer Styrene-Acrylonitrile Copolymers and Nitrile Rubber by Headspace Gas Chromatography
 D4329-05 Practice for Fluorescent UV Exposure of Plastics
 D4349-96R04 Classification System for Polyphenylene Ether (PPE) Materials
 D4350-00R05 Test Method for Corrosivity Index of Plastics and Fillers
 D4364-05 Practice for Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight
 D4385-02 Practice for Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products
 D4396-06 Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications
 D4397-02 Specification for Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications
 D4440-07 Test Method for Plastics: Dynamic Mechanical Properties Melt Rheology
 D4441-04 Specification for Aqueous Dispersions of Polytetrafluoroethylene
 D4443-95R02 Test Method for Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography
 D4459-06 Practice for Xenon-Arc Exposure of Plastics Intended for Indoor Applications
 D4473-03 Test Method for Plastics: Dynamic Mechanical Properties: Cure Behavior
 D4474-00 Classification System for Styrenic Thermoplastic Elastomer Injection Molding and Extrusion Materials (TES)
 D4475-02 Test Method for Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method
 D4476-03 Test Method for Flexural Properties of Fiber Reinforced Pultruded Plastic Rods
 D4508-06 Test Method for Chip Impact Strength of Plastics
 D4509 Test Methods for Determining the 24-Hour Gas (AIR) Space Acetaldehyde Content of Freshly Blown PET Bottles
 D4526-96R01E01 Practice for Determination of Volatiles in Polymers by Static Headspace Gas Chromatography
 D4549-03 Specification for Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS)
 D4550 Classification for Thermoplastic Elastomer-Ether-Ester (TEEE)
 D4591-07 Test Method for Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry
 D4603-03 Test Method for Determining Inherent Viscosity of Poly(Ethylene Terephthalate) (PET) by Glass Capillary Viscometer
 D4617-03 Classification System for Phenolic Compounds (PF)
 D4634-04 Specification for Styrene-Maleic Anhydride Materials (S/MA)
 D4635-01 Specification for Polyethylene Films Made from Low-Density Polyethylene for General Use and Packaging Applications
 D4659-03 Test Methods for Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates
 D4660-06 Test Methods for Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate
 D4661-03 Test Methods for Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates
 D4662-03 Test Methods for Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols
 D4663-98R04 Test Method for Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates
 D4669-98R02E01 Test Method for Polyurethane Raw Materials: Determination of Specific Gravity of Polyols
 D4670-97R02 Test Method for Polyurethane Raw Materials: Determination of Suspended Matter In Polyols
 D4671-05 Test Methods for Polyurethane Raw Materials: Determination of Unsaturation of Polyols
 D4672-00R06E01 Test Methods for Polyurethane Raw Materials: Determination of Water Content of Polyols
 D4673-02 Classification System for Acrylonitrile\NButadiene\NStyrene (ABS) Plastics and Alloys Molding and Extrusion Materials
 D4674-02A Practice for Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments
 D4703-03 Practice for Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets
 D4745-06 Specification for Filled Compounds of Polytetrafluoroethylene (PTFE) Molding and Extrusion Materials
 D4754-98R03 Test Method for Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell
 D4801-07 Specification for Polyethylene Sheeting in Thickness of 0.25 mm \[0.010 in.\] and Greater
 D4802-02 Specification for Poly(Methyl Methacrylate) Acrylic Plastic Sheet
 D4804-03 Test Method for Determining the Flammability Characteristics of Nonrigid Solid Plastics
 D4812-06 Test Method for Unnotched Cantilever Beam Impact Resistance of

Plastics
D4819-96R05 Specification for Flexible Cellular Materials Made From Polyolefin Plastics
D4875-05 Test Methods of Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols
D4877-04 Test Method for Polyurethane Raw Materials: Determination of APHA Color in Isocyanates
D4878-03 Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Polyols
D4883-03 Test Method for Density of Polyethylene by the Ultrasound Technique
D4889-04 Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates
D4890-06 Test Methods for Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols
D4894-04 Specification for Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials
D4895-04 Specification for Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion
D4923-01 Specification for Reinforced Thermosetting Plastic Poles
D4968-06 Guide for Annual Review of Test Methods and Specifications for Plastics
D4969-07 Specification for Polytetrafluoroethylene (PTFE) Coated Glass Fabric
D4976-06 Specification for Polyethylene Plastics Molding and Extrusion Materials
D4986-03 Test Method for Horizontal Burning Characteristics of Cellular Polymeric Materials
D5017-96R03E01 Test Method for Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance
D5021-00 Specification for Thermoplastic Elastomer (Chlorinated Ethylene Alloy) (TECEA)
D5023-01 Test Method for Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending)
D5024-01 Test Method for Plastics: Dynamic Mechanical Properties: In Compression
D5025-05 Specification for Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials
D5026-06 Test Method for Plastics: Dynamic Mechanical Properties: In Tension
D5028-96R03E01 Test Method for Curing Properties of Pultrusion Resins by Thermal Analysis
D5033-00 Guide for Development of ASTM Standards Relating to Recycling and Use of Recycled Plastics
D5045-99 Test Methods for Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials
D5047-05 Specification for Polyethylene Terephthalate Film and Sheet
D5048-03 Test Method for Measuring the Comparative Burning Characteristics and Resistance to Burn-Through of Solid Plastics Using a 125-mm Flame
D5071-06 Practice for Exposure of Photodegradable Plastics in a Xenon Arc Apparatus
D5083-02 Test Method for Tensile Properties of Reinforced Thermosetting Plastics Using Straight-Sided Specimens

[Site Map](#) | [Online Support](#) | [Contact](#) | [Privacy Policy](#) | [IP Policy](#)

Copyright © 1996-2007 ASTM. All Rights Reserved.

ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA, 19428-2959 USA