

[Login](#)[Site Map](#) | [Online Support](#) | [Contact](#) | [Web Polides](#) | [IP Policy](#)[Site Search](#)[Go](#)[Standards Search](#)[View Shopping Cart](#)

Standards

Standards / Annual Book of ASTM Standards

The 80+ volume Annual Book of ASTM Standards contains ASTM's 12,000+ standards and is available in print, CD-ROM and Online formats. The volumes can be purchased individually, as a section (at a 25% discount) or as the complete 80+ volume set (at a 50% discount).

Contents

ASTM Volume 02.03, May 2007

Electrical Conductors

[Return to Previous Page](#)

Table of Contents

B0001-01 Specification for Hard-Drawn Copper Wire
B0002-00R05E01 Specification for Medium-Hard-Drawn Copper Wire
B0003-01 Specification for Soft or Annealed Copper Wire
B0008-04 Specification for Concentric-Lay-Stranded Copper Conductors, Hard, Medium-Hard, or Soft
B0009-90R03 Specification for Bronze Trolley Wire
B0033-04 Specification for Tinned Soft or Annealed Copper Wire for Electrical Purposes
B0047-95AR01 Specification for Copper Trolley Wire
B0048-00R05E01 Specification for Soft Rectangular and Square Bare Copper Wire for Electrical Conductors
B0105-05 Specification for Hard-Drawn Copper Alloy Wires for Electric Conductors
B0116-95R01 Specification for Figure-9 Deep-Grooved and Figure-8 Copper Trolley Wire for Industrial Haulage
B0172-01A Specification for Rope-Lay-Stranded Copper Conductors Having Bunch-Stranded Members, for Electrical Conductors
B0173-01A Specification for Rope-Lay-Stranded Copper Conductors Having Concentric-Stranded Members, for Electrical Conductors
B0174-02 Specification for Bunch-Stranded Copper Conductors for Electrical Conductors
B0189-05 Specification for Lead-Coated and Lead-Alloy-Coated Soft Copper Wire for Electrical Purposes
B0193-02 Test Method for Resistivity of Electrical Conductor Materials
B0226-04 Specification for Cored, Annular, Concentric-Lay-Stranded Copper Conductors
B0227-04 Specification for Hard-Drawn Copper-Clad Steel Wire
B0228-04 Specification for Concentric-Lay-Stranded Copper-Clad Steel Conductors
B0229-04 Specification for Concentric-Lay-Stranded Copper and Copper-Clad Steel Composite Conductors
B0230_B0230M-99R04 Specification for Aluminum 1350\NH19 Wire for Electrical Purposes
B0231_B0231M-04 Specification for Concentric-Lay-Stranded Aluminum 1350 Conductors
B0232_B0232M-01E01 Specification for Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Reinforced (ACSR)
B0233-97R03E01 Specification for Aluminum 1350 Drawing Stock for Electrical Purposes
B0246-05 Specification for Tinned Hard-Drawn and Medium-Hard-Drawn Copper Wire for Electrical Purposes
B0258-02 Specification for Standard Nominal Diameters and Cross-Sectional Areas of AWG Sizes of Solid Round Wires Used as Electrical Conductors
B0263-04 Test Method for Determination of Cross-Sectional Area of Stranded Conductors
B0279-04 Test Method for Stiffness of Bare Soft Square and Rectangular Copper and Aluminum Wire for Magnet Wire Fabrication
B0286-02 Specification for Copper Conductors for Use in Hookup Wire for Electronic Equipment
B0298-99E01 Specification for Silver-Coated Soft or Annealed Copper Wire

More Information

[Ordering Options](#)

Print, CD-ROM or **NOW** get Online Access to this Volume (Basic or Plus)

View Contents

[- 2007](#)

Standards: 79
Pages: 454

[- 2006](#)

Standards: 86
Pages: 438

Standards

[Search Standards](#)

[Annual Book of Standards](#)

[Subscriptions](#)

[Collections on DVD](#)

[Compilations](#)

[Track Standards](#)

Books & Journals

[Technical Committees](#)

[Membership](#)

[Meetings](#)

[Symposia & Workshops](#)

[Training Courses](#)

[Proficiency Testing](#)

[Equipment Directory](#)

[Lab Directory](#)

[Consultants Directory](#)

[About ASTM](#)

[Magazines & Newsletters](#)

[Newsroom & Information](#)

[ASTM Campus](#)

[Global Cooperation](#)

Product Information

[Get Product Updates](#)[Request A Free Catalog](#)[View Catalog](#)[Online Support](#)

B0324-01 Specification for Aluminum Rectangular and Square Wire for Electrical Purposes
 B0341_B0341M-02 Specification for Aluminum-Coated (Aluminized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR/AZ)
 B0354-05 Terminology Relating to Uninsulated Metallic Electrical Conductors
 B0355-06 Specification for Nickel-Coated Soft or Annealed Copper Wire
 B0398_B0398M-02 Specification for Aluminum-Alloy 6201-T81 Wire for Electrical Purposes
 B0399_B0399M-04 Specification for Concentric-Lay-Stranded Aluminum-Alloy 6201-T81 Conductors
 B0400-04 Specification for Compact Round Concentric-Lay-Stranded Aluminum 1350 Conductors
 B0401-04 Specification for Compact Round Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/COMP)
 B0415-98R02 Specification for Hard-Drawn Aluminum-Clad Steel Wire
 B0416-98R02 Specification for Concentric-Lay-Stranded Aluminum-Clad Steel Conductors
 B0452-02 Specification for Copper-Clad Steel Wire for Electronic Application
 B0470-02 Specification for Bonded Copper Conductors for Use in Hookup Wires for Electronic Equipment
 B0496-04 Specification for Compact Round Concentric-Lay-Stranded Copper Conductors
 B0498_B0498M-98R02 Specification for Zinc-Coated (Galvanized) Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR)
 B0500_B0500M-98R02 Specification for Metallic Coated Stranded Steel Core for Aluminum Conductors, Steel Reinforced (ACSR)
 B0501-04 Specification for Silver-Coated, Copper-Clad Steel Wire for Electronic Application
 B0502-02 Specification for Aluminum-Clad Steel Core Wire for Aluminum Conductors, Aluminum-Clad Steel Reinforced
 B0520-93R02E01 Specification for Tin-Coated, Copper-Clad Steel Wire for Electronic Application
 B0524_B0524M-99R05 Specification for Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Alloy Reinforced (ACAR, 1350/6201)
 B0549-04 Specification for Concentric-Lay-Stranded Aluminum Conductors, Aluminum-Clad Steel Reinforced (ACSR/AW)
 B0559-93R02E01 Specification for Nickel-Coated, Copper-Clad Steel Wire for Electronic Application
 B0566-04A Specification for Copper-Clad Aluminum Wire
 B0606-02 Specification for High-Strength Zinc-Coated (Galvanized) Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced
 B0609_B0609M-99R04 Specification for Aluminum 1350 Round Wire, Annealed and Intermediate Tempers, for Electrical Purposes
 B0624-99R05E01 Specification for High-Strength, High-Conductivity Copper-Alloy Wire for Electronic Application
 B0682-01 Specification for Standard Metric Sizes of Electrical Conductors
 B0701_B0701M-06 Specification for Concentric-Lay-Stranded Self-Damping Aluminum Conductors, Steel Reinforced (ACSR/SD)
 B0711-05 Specification for Concentric-Lay-Stranded Aluminum-Alloy Conductors, Steel Reinforced (AACSR) (6201)
 B0738-03 Specification for Fine-Wire Bunch-Stranded and Rope-Lay Bunch-Stranded Copper Conductors for Use as Electrical Conductors
 B0778-02 Specification for Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors (AAC/TW)
 B0779-03 Specification for Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Steel-Reinforced (ACSR/TW)
 B0784-01R06 Specification for Modified Concentric-Lay-Stranded Copper Conductors for Use in Insulated Electrical Cables
 B0786-02A Specification for 19 Wire Combination Unilay-Stranded Aluminum Conductors for Subsequent Insulation
 B0787_B0787M-04 Specification for 19 Wire Combination Unilay-Stranded Copper Conductors for Subsequent Insulation
 B0800-05 Specification for 8000 Series Aluminum Alloy Wire for Electrical Purposes\MAnealed and Intermediate Tempers
 B0801-99 Specification for Concentric-Lay-Stranded Conductors of 8000 Series Aluminum Alloy for Subsequent Covering or Insulation
 B0802_B0802M-02 Specification for Zinc-5 \% Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum Conductors, Steel Reinforced (ACSR)
 B0803-02 Specification for High-Strength Zinc-5 \% Aluminum-Mischmetal Alloy-Coated Steel Core Wire for Aluminum and Aluminum-Alloy Conductors, Steel Reinforced
 B0830-97R03 Specification for Uniform Test Methods and Frequency
 B0835-04 Specification for Compact Round Stranded Copper Conductors Using Single Input Wire Construction
 B0836-00R05 Specification for Compact Round Stranded Aluminum Conductors Using Single Input Wire Construction
 B0856-03 Specification for Concentric-Lay-Stranded Aluminum Conductors, Coated Steel Supported (ACSS)
 B0857-02 Specification for Shaped Wire Compact Concentric-Lay-Stranded Aluminum Conductors, Coated-Steel Supported (ACSS/TW)
 B0869-04 Specification for Copper-Clad Steel Electrical Conductor for CATV

Drop Wire
B0901-04 Specification for Compressed Round Stranded Aluminum
Conductors Using Single Input Wire Construction
B0902-04A Specification for Compressed Round Stranded Copper
Conductors, Hard, Medium-Hard, or Soft Using Single Input Wire
Construction
B0910_B0910M-06 Specification for Annealed Copper-Clad Steel Wire
B0911_B0911M-05 Specification for ACSR Twisted Pair Conductor (ACSR/TP)
B0941-05 Specification for Heat Resistant Aluminum-Zirconium Alloy Wire for
Electrical Purposes

[Site Map](#) | [Online Support](#) | [Contact](#) | [Privacy Policy](#) | [IP Policy](#)

Copyright © 1996-2007 ASTM. All Rights Reserved.

ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA, 19428-2959 USA