

Standards

Search Standards Annual Book of Standards Subscriptions **Collections on DVD** Compilations **Track Standards** Books & Journals **Technical Committees** Membership Contents Meetings Symposia & Workshops **Training Courses Return to Previous Page** Proficiency Testing Table of Contents Equipment Direc tory Lab Directory Temperatures **Consultants Directory** About ASTM Shapes by Boiling Water Magazines & Newsletters Newsroom & Information ASTM Campus **Global Cooperation Refractory Materials** Product Information Get Product Updates Request A Free Catalog View Catalog Rupture of Refractories **Online Support** by Water Immersion **Plastic Refractories** Atmosphere of Carbon Monoxide Materials Refractories Refractories Shapes Dolomite



C0544-03 Test Method for Hydration of Dead Burned Magnesite or Periclase Grain C0545-97R02 Classification of Zircon Refractories

C0577-99 Test Method for Permeability of Refractories

C0583-05 Test Method for Modulus of Rupture of Refractory Materials at Elevated Temperatures

C0604-02 Test Method for True Specific Gravity of Refractory Materials by Gas-Comparison Pycnometer

C0607-88R05 Practice for Coking Large Shapes of Carbon-Bearing Materials C0621-84R01 Test Method for Isothermal Corrosion Resistance of Refractories to Molten Glass

C0673-97R03 Classification of Fireclay and High-Alumina Plastic Refractories and Ramming Mixes

C0704-01E01 Test Method for Abrasion Resistance of Refractory Materials at Room Temperature

C0767-93R04 Test Method for Thermal Conductivity of Carbon Refractories C0768 Practice for Drip Slag Testing Refractory Materials at High Temperature

C0830-00R06 Test Methods for Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure

C0831-98R03 Test Methods for Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes C0832-00R05 Test Method of Measuring Thermal Expansion and Creep of Refractories Under Load

C0860-00R05 Practice for Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test

C0861-93R05 Practice for Determining Metric Dimensions of Standard Series Refractory Brick and Shapes

C0862-02 Practice for Preparing Refractory Concrete Specimens by Casting C0863-00R05 Test Method for Evaluating Oxidation Resistance of Silicon Carbide Refractories at Elevated Temperatures

C0865-02 Practice for Firing Refractory Concrete Specimens

C0874-99R04 Practice for Rotary Slag Testing of Refractory Materials C0885-87R02 Test Method for Young's Modulus of Refractory Shapes by Sonic Resonance

C0899-79R02 Practice for Use of Metric Units of Measure for Reporting Properties of Refractory Materials

C0903-98R04 Practice for Preparing Refractory Castable Specimens by Cold Gunning

C0909-93R05 Practice for Dimensions of a Modular Series of Refractory Brick and Shapes

C0914-95R04 Test Method for Bulk Density and Volume of Solid Refractories by Wax Immersion

C0973-87R04 Practice for Preparing Test Specimens From Basic Refractory Gunning Products by Pressing

C0974-87R04 Practice for Preparing Test Specimens from Basic Refractory Castable Products by Casting

C0975-87R04 Practice for Preparing Test Specimens from Basic Refractory Ramming Products by Pressing

C0987-00AR05 Practice for Vapor Attack on Refractories for Furnace Superstructures

C1054-03 Practice for Pressing and Drying Refractory Plastic and Ramming Mix Specimens

C1099-92R02 Test Method for Modulus of Rupture of Carbon-Containing Refractory Materials at Elevated Temperatures

C1100 Test Method for Ribbon Thermal Shock Testing of Refractory Materials C1113-99R04 Test Method for Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique)

C1145-06 Terminology of Advanced Ceramics

C1161-02CE01 Test Method for Flexural Strength of Advanced Ceramics at Ambient Temperature

C1171-05 Test Method for Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories

C1175-99AR04 Guide to Test Methods and Standards for Nondestructive Testing of Advanced Ceramics

C1190-95R05 Practice for Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick

C1198-01 Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance

C1211-02 Test Method for Flexural Strength of Advanced Ceramics at Elevated Temperatures

C1212-98R04 Practice for Fabricating Ceramic Reference Specimens Containing Seeded Voids

C1223-92R03 Test Method for Testing of Glass Exudation from AZS Fusion-Cast Refractories

C1239-06A Practice for Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics

C1259-01 Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration C1273-05 Test Method for Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures

C1274-00R06 Test Method for Advanced Ceramic Specific Surface Area by Physical Adsorption

C1275-00R05E01 Test Method for Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature

C1276-94R05 Test Method for Measuring the Viscosity of Mold Powders Above Their Melting Point Using a Rotational Viscometer

C1282-00R06 Test Method for Determining the Particle Size Distribution of Advanced Ceramics by Centrifugal Photosedimentation

C1291-00AR05 Test Method for Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Advanced Monolithic Ceramics

C1292-00R05 Test Method for Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures

C1322-05B Practice for Fractography and Characterization of Fracture Origins in Advanced Ceramics

C1323-96R01 Test Method for Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature C1326-03 Test Method for Knoop Indentation Hardness of Advanced

Ceramics C1327-03 Test Method for Vickers Indentation Hardness of Advanced Ceramics

C1331-01 Test Method for Measuring Ultrasonic Velocity in Advanced Ceramics with Broadband Pulse-Echo Cross-Correlation Method

C1332-01 Test Method for Measurement of Ultrasonic Attenuation Coefficients of Advanced Ceramics by Pulse-Echo Contact Technique C1336-96R02 Practice for Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions

C1337-96R05 Test Method for Creep and Creep Rupture of Continuous Fiber-Reinforced Ceramic Composites under Tensile Loading at Elevated Temperatures

C1341-06 Test Method for Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites

C1358-05 Test Method for Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures

C1359-05 Test Method for Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures

C1360-01 Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures

C1361-01 Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures

C1366-04 Test Method for Tensile Strength of Monolithic Advanced Ceramics at Elevated Temperatures

C1368-06 Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Ambient Temperature

C1407-98R05 Practice for Calculating Areas, Volume, and Linear Change of Refractory Shapes

C1419-99A Test Method for Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus C1421-01B Test Methods for Determination of Fracture Toughness of

Advanced Ceramics at Ambient Temperature

C1424-04 Test Method for Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature

C1425-05 Test Method for Interlaminar Shear Strength of 1\ND and 2\ND Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures C1444 Test Method for Measuring the Angle of Repose of Free-Flowing Mold Powders

C1445-99R05 Test Method for Measuring Consistency of Castable Refractory Using a Flow Table

C1446-99 Test Method for Measuring Consistency and Working Time of Self-Flowing Castable Refractories

C1465-00R06 Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures

C1468-06 Test Method for Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature

C1469-00R05 Test Method for Shear Strength of Joints of Advanced Ceramics at Ambient Temperature

C1470-06 Guide for Testing the Thermal Properties of Advanced Ceramics C1494-01 Test Methods for Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder

C1495-06 Test Method for Effect of Surface Grinding on Flexure Strength of Advanced Ceramics

C1499-05 Test Method for Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature

C1525-04 Test Method for Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching

C1547-02 Classification for Fusion-Cast Refractory Blocks and Shapes

C1548-02 Test Method for Dynamic Young's Modulus, Shear Modulus, and

Poisson's Ratio of Refractory Materials by Impulse Excitation of Vibration C1557-03E01 Test Method for Tensile Strength and Young's Modulus of Fibers

C1576-05 Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature

C1624-05 Test Method for Adhesion Strength and Mechanical Failure Modes of Ceramic Coatings by Quantitative Single Point Scratch Testing C1655-06 Classification of Fireclay and High-Alumina Mortars

D2652-05A Terminology Relating to Activated Carbon

D2854-96R04 Test Method for Apparent Density of Activated Carbon D2862-97R04 Test Method for Particle Size Distribution of Granular Activated Carbon

D2866-94R04 Test Method for Total Ash Content of Activated Carbon D2867-04 Test Methods for Moisture in Activated Carbon

D3466-06 Test Method for Ignition Temperature of Granular Activated Carbon

D3467-04 Test Method for Carbon Tetrachloride Activity of Activated Carbon D3802-79R05 Test Method for Ball-Pan Hardness of Activated Carbon

D3803-91R04 Test Method for Nuclear-Grade Activated Carbon

D3838-05 Test Method for pH of Activated Carbon

D3860-98R03 Practice for Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique

D4069-95R03 Specification for Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams

D4607-94R06 Test Method for Determination of Iodine Number of Activated Carbon

D5029-98R04 Test Method for Water Solubles in Activated Carbon D5158-98R05 Test Method for Determination of Particle Size of Powdered

Activated Carbon by Air Jet Sieving D5159-04 Guide for Dusting Attrition of Granular Activated Carbon

D5160-95R03 Guide for Gas-Phase Adsorption Testing of Activated Carbon D5228-92R05 Test Method for Determination of Butane Working Capacity of Activated Carbon

D5742-95R05 Test Method for Determination of Butane Activity of Activated Carbon

D5832-98R03 Test Method for Volatile Matter Content of Activated Carbon Samples

D5919-96R06 Practice for Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations D6385-99R06 Test Method for Determining Acid Extractable Content in Activated Carbon by Ashing

D6586-03 Practice for the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests

D6646-03 Test Method for Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon D6647-01R06 Test Method for Determination of Acid Soluble Iron Via Atomic Absorption

D6781-02 Guide for Carbon Reactivation

D6851-02 Test Method for Determination of Contact  $\ensuremath{\mathsf{pH}}$  with Activated Carbon

Site Map | Online Support | Contact | Privacy Policy | IP Policy

Copyright © 1996-2007 ASTM. All Rights Reserved.

ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA, 19428-2959 USA