

[Login](#)[Site Map](#) | [Online Support](#) | [Contact](#) | [Web Polides](#) | [IP Policy](#)Site
Search

Go

[Standards Search](#)[View Shopping Cart](#)**Standards**[Search Standards](#)[Annual Book of Standards](#)[Subscriptions](#)[Collections on DVD](#)[Compilations](#)[Track Standards](#)**Books & Journals**[Technical Committees](#)[Membership](#)[Meetings](#)[Symposia & Workshops](#)[Training Courses](#)[Proficiency Testing](#)[Equipment Directory](#)[Lab Directory](#)[Consultants Directory](#)[About ASTM](#)[Magazines & Newsletters](#)[Newsroom & Information](#)[ASTM Campus](#)[Global Cooperation](#)**Product Information**[Get Product Updates](#)[Request A Free Catalog](#)[View Catalog](#)[Online Support](#)

Standards

Standards / Annual Book of ASTM Standards

The 80+ volume Annual Book of ASTM Standards contains ASTM's 12,000+ standards and is available in print, CD-ROM and Online formats. The volumes can be purchased individually, as a section (at a 25% discount) or as the complete 80+ volume set (at a 50% discount).

Contents

ASTM Volume 15.04, September 2007

Soaps and Other Detergents; Polishes; Leather; Resilient Floor Coverings

[Return to Previous Page](#)

Table of Contents

D0459-00 Terminology Relating to Soaps and Other Detergents
D0460-91R05 Test Methods for Sampling and Chemical Analysis of Soaps and Soap Products
D0500-95R03 Test Methods of Chemical Analysis of Sulfonated and Sulfated Oils
D0501-03 Test Methods of Sampling and Chemical Analysis of Alkaline Detergents
D0502-89R03 Test Method for Particle Size of Soaps and Other Detergents
D0800-05 Test Methods of Chemical Analysis of Industrial Metal Cleaning Compositions
D0820-93R03 Test Methods for Chemical Analysis of Soaps Containing Synthetic Detergents
D0928-03 Specification for Sodium Bicarbonate
D1172-95R01 Guide for pH of Aqueous Solutions of Soaps and Detergents
D1173-53R01 Test Method for Foaming Properties of Surface-Active Agents
D1280-00 Test Method of Total Immersion Corrosion Test for Soak Tank Metal Cleaners
D1290-95R02 Test Method for Sediment in Water-Emulsion Polishes by Centrifuge
D1331-89R01 Test Methods for Surface and Interfacial Tension of Solutions of Surface-Active Agents
D1342 Test Method for Paraffin-Type Hydrocarbons in Carnauba Wax
D1386-98R04 Test Method for Acid Number (Empirical) of Synthetic and Natural Waxes
D1387-89R02 Test Method for Saponification Number (Empirical) of Synthetic and Natural Waxes
D1436-97R02 Test Methods for Application of Emulsion Floor Polishes to Substrates for Testing Purposes
D1455-87R02 Test Method for 60|SD Specular Gloss of Emulsion Floor Polish
D1516-05 Test Method for Width of Leather
D1517-06 Terminology Relating to Leather
D1568-05 Test Methods for Sampling and Chemical Analysis of Alkylbenzene Sulfonates
D1569-05 Test Methods for Detergent Alkylate
D1570-95R03 Test Methods for Sampling and Chemical Analysis of Fatty Alkyl Sulfates
D1610-01R07 Practice for Conditioning Leather and Leather Products for Testing
D1611-00R05 Test Method for Corrosion Produced by Leather in Contact with Metal
D1681-05 Test Method for Synthetic Anionic Active Ingredient in Detergents by Cationic Titration Procedure
D1767-89R03 Test Method for Ethylene Diamine Tetraacetate (EDTA) in Soaps or Synthetic Detergents
D1768-89R03 Test Method for Sodium Alkylbenzene Sulfonate in Synthetic Detergents by Ultraviolet Absorption
D1791-93R04 Test Method for Accelerated Aging of Liquid Water-Emulsion Floor Polishes
D1792-06 Test Method for Long-Term Removability Properties of Emulsion

More Information

[Ordering Options](#)

Print, CD-ROM or **NOW** get Online Access to this Volume
(Basic or Plus)

View Contents

- [2007](#)

Standards: 259
Pages: 942

- [2006](#)

Standards: 171
Pages: 940



Floor Polishes
D1793-92R02 Test Method for Water Spotting of Emulsion Floor Polishes
D1813-00R05 Test Method for Measuring Thickness of Leather Test Specimens
D1814-70R05 Test Method for Measuring Thickness of Leather Units
D1815-00R05 Test Method for Water Absorption (Static) of Vegetable Tanned Leather
D1912-00R05E01 Test Method for Cold-Crack Resistance of Upholstery Leather
D1913-00R05 Test Method for Resistance to Wetting of Garment-Type Leathers (Spray Test)
D1986-91R02 Test Method for Determining the Apparent Viscosity of Polyethylene Wax
D2022-89R03 Test Methods of Sampling and Chemical Analysis of Chlorine-Containing Bleaches
D2023-89R03 Test Method of Analysis for Sodium Toluene Sulfonate in Detergents
D2024-65R03 Test Method for Cloud Point of Nonionic Surfactants
D2047-04 Test Method for Static Coefficient of Friction of Polish-Coated Flooring Surfaces as Measured by the James Machine
D2048-92R02 Test Method for Powdering of Floor Polish Films
D2096-00R05E01 Test Method for Colorfastness and Transfer of Color in the Washing of Leather
D2097-03R05 Test Method for Flex Testing of Finish on Upholstery Leather
D2098-04 Test Method for Dynamic Water Resistance of Shoe Upper Leather by the Dow Corning Leather Tester
D2099-05 Test Method for Dynamic Water Resistance of Shoe Upper Leather by the Maeser Water Penetration Tester
D2180-89R03 Test Method for Active Oxygen in Bleaching Compounds
D2207-00R05 Test Method for Bursting Strength of Leather by the Ball Method
D2208-00R05 Test Method for Breaking Strength of Leather by the Grab Method
D2209-00R04 Test Method for Tensile Strength of Leather
D2210-00R04 Test Method for Grain Crack and Extension of Leather by the Mullen Test
D2211-00R05 Test Method for Elongation of Leather
D2212-00R05 Test Method for Slit Tear Resistance of Leather
D2213-00R05 Test Method for Compressibility of Leather
D2214-02 Test Method for Estimating the Thermal Conductivity of Leather with the Cenco-Fitch Apparatus
D2281-68R05 Test Method for Evaluation of Wetting Agents by the Skein Test
D2322-00R05 Test Method for Resistance of Shoe Upper Leather to Artificial Perspiration
D2346-00R04 Test Method for Apparent Density of Leather
D2347-00R05 Test Method for Measuring Area of Leather Test Specimens
D2357-74R03 for Qualitative Classification of Surfactants by Infrared Absorption
D2358-89R03 Test Method for Separation of Active Ingredient from Surfactant and Syndet Compositions
D2617-06 Test Method for Total Ash in Leather
D2807-93R03 Test Method for Chromic Oxide in Leather (Perchloric Acid Oxidation)
D2810-07 Test Method for pH of Leather
D2813-03 Practice for Sampling Leather for Physical and Chemical Tests
D2821-00R05E01 Test Method for Measuring the Relative Stiffness of Leather by Means of a Torsional Wire Apparatus
D2825-02 Terminology Relating to Polishes and Related Materials
D2834-95R02 Test Method for Nonvolatile Matter (Total Solids) in Water-Emulsion Floor Polishes, Solvent-Based Floor Polishes, and Polymer-Emulsion Floor Polishes
D2868-07 Test Method for Nitrogen Content (Kjeldahl) and Hide Substance Content of Leather
D2875-00R05 Test Method for Insoluble Ash of Vegetable-Tanned Leather
D2876-00R05 Test Method for Water-Soluble Matter of Vegetable-Tanned Leather
D2941-00R04 Test Method for Measuring Break Pattern of Leather (Break Scale)
D2959-95R03 Test Method for Ethylene Oxide Content of Polyethoxylated Nonionic Surfactants
D2960-05 Guide for Controlled Laundering Test Using Naturally Soiled Fabrics and Household Appliances
D3048-89R03 Test Method of Assay for Alkaline Protease
D3049-89R03 Test Method for Synthetic Anionic Ingredient by Cationic Titration
D3050-07 Guide for Measuring Soil Removal from Artificially Soiled Fabrics (Not Suitable for Detergent Ranking)
D3052-87R03 Practice for Rating Water-Emulsion Floor Polishes
D3153-87R02 Test Method for Recoatability of Water-Emulsion Floor Polishes
D3206-92R02 Test Method for Soil Resistance of Floor Polishes

D3207-92R02 Test Method for Detergent Resistance of Floor Polish Films
D3209-93R04 Test Method for Freeze/Thaw Resistance of Polymer Floor Polishes
D3210-95R02 Test Method for Comparing Colors of Films from Water-Emulsion Floor Polishes
D3430-95R02 Test Method for Clarity and Yellowness of Liquid Water-Based Clear Floor Polishes
D3440-01R07 Guide for Preparing Specifications for Water-Emulsion Floor Polishes
D3495-00R06 Test Method for Hexane Extraction of Leather
D3543-93R02 Test Method for Metal Glide Adhesion
D3556-85R01 Test Method for Deposition on Glassware During Mechanical Dishwashing
D3564-95R02 Practice for Application of Floor Polishes to Maintain Vinyl Composition Tile or Flooring
D3565-89R01 Test Method for Tableware Pattern Removal by Mechanical Dishwasher Detergents
D3598-89R03 Test Method for Citrate in Synthetic Detergents
D3642-98R04 Test Method for Softening Point of Certain Alkali-Soluble Resins
D3643-98R04 Test Method for Acid Number of Certain Alkali-Soluble Resins
D3644-06 Test Method for Acid Number of Styrene-Maleic Anhydride Resins
D3673-89R03 Test Methods for Chemical Analysis of Alpha Olefin Sulfonates
D3716-99R06 Test Methods for Use of Emulsion Polymers in Floor Polishes
D3751-94R02 Practice for Evaluation of Furniture Polish
D3757-89R05E01 Guide for Preparing Specifications for Solvent-based Floor Polishes
D3758-95R03 Practice for Evaluation of Spray-Buff Products on Test Floors
D3790-79R06 Test Method for Volatile Matter (Moisture) of Leather by Oven Drying
D3836-94R07 Practice for Evaluation of Automotive Polish
D3837-95R02 Practice for Preparing a Solution of Alkali-Soluble Resins
D3897-91R06 Practice for Calculation of Basicity of Chrome Tanning Liquors
D3898-93R03 Test Method for Chromic Oxide in Basic Chromium Tanning Liquors
D3913-03 Test Method for Acidity in Basic Chromium Tanning Liquors
D3954-94R04 Test Method for Dropping Point of Waxes
D4002-81R02 Practice for Evaluation of Buffable Shoe Polish
D4008-95R03 Test Method for Measuring Anti-Soil Deposition Properties of Laundry Detergents (Not Suitable for Detergent Ranking)
D4009-92R06 Guide for Foam Stability of Hand Dishwashing Detergents
D4078-02 Specification for Water Emulsion Floor Polish
D4095-97R02 Practice for Use of the Refractometer for Determining Nonvolatile Matter (Total Solids) in Floor Polishes
D4103-90R02 Practice for Preparation of Substrate Surfaces for Coefficient of Friction Testing
D4251-89R03 Test Method for Active Matter in Anionic Surfactants by Potentiometric Titration
D4252-89R03 Test Methods for Chemical Analysis of Alcohol Ethoxylates and Alkylphenol Ethoxylates
D4265-98R07E01 Guide for Evaluating Stain Removal Performance in Home Laundering
D4283-98R04 Test Method for Viscosity of Silicone Fluids
D4330-94R02 Practice for Evaluation of Fiberglass Boat Polish and Wax
D4337-89R03 Test Methods for Analysis of Linear Detergent Alkylates
D4386-95R02 Practice for Application of Floor Polishes to Maintain Multilayer Composite Tile or Flooring
D4488-95R01E01 Guide for Testing Cleaning Performance of Products Intended for Use on Resilient Flooring and Washable Walls
D4576-01R06 Test Method for Mold Growth Resistance of Wet Blue
D4608-89R03 Test Method for Citrate in Detergents
D4653-87R03 Test Method for Total Chlorides in Leather
D4654-87R03 Test Method for Sulfate Basicity in Leather
D4655-95R06 Test Methods for Sulfates in Leather (Total, Neutral, and Combined Acid)
D4704-00R05 Test Method for Tearing Strength, Tongue Tear of Leather
D4705-00R05 Test Method for Stitch Tear Strength of Leather, Double Hole
D4711-89R03 Test Method for Sulfonic and Sulfuric Acids in Alkylbenzene Sulfonic Acids
D4786-00R05 Test Method for Stitch Tear Strength, Single Hole
D4831-00R05 Test Method for Buckle Tear Strength of Leather
D4899-99R04 Practice for Analysis of Vegetable Tanning Materials\General
D4900-99R04 Test Method for Lignosulfonates (Sulfite Cellulose) in Tanning Extracts
D4901-99R04 Practice for Preparation of Solution of Liquid Vegetable Tannin Extracts
D4902-99R04 Test Method for Evaporation and Drying of Analytical Solutions
D4903-99R04 Test Method for Total Solids and Water in Vegetable Tanning Material Extracts
D4904-99R04 Practice for Cooling of Analytical Solutions
D4905-99R04 Practice for Preparation of Solution of Solid, Pasty and

Powdered Vegetable Tannin Extracts
D4906-95R06 Test Method for Total Solids and Ash Content in Leather Finishing Materials
D4907-00R05 Test Method for Nitrocellulose in Finish on Leather
D4954-89R03 Test Method for Determination of Nitrilotriacetates in Detergents
D4955-89R02 Practice for Field Evaluation of Automotive Polish
D5052-00R05 Test Method for Permeability of Leather to Water Vapor
D5053-03E01 Test Method for Colorfastness of Crocking of Leather
D5070-90R05 Test Method for Synthetic Quaternary Ammonium Salts in Fabric Softeners by Potentiometric Titrations
D5237-05 Guide for Evaluating Fabric Softeners
D5343-06 Guide for Evaluating Cleaning Performance of Ceramic Tile Cleaners
D5346-93R03E01 Test Method for Determination of the Pour Point of Petroleum Oil Used in Fatliquors and Softening Compounds
D5347-95R06 Test Method for Determination of the Ash Content of Fats and Oils
D5348-95R06 Test Method for Determination of the Moisture Content of Sulfonated and Sulfated Oils by Distillation with Xylene
D5349-95R06 Test Method for Determination of the Moisture and Volatile Content of Sulfonated and Sulfated Oils by Hot-Plate Method
D5350-95R06 Test Method for Determination of Organically Combined Sulfuric Anhydride by Titration, Test Method A
D5351-93R03 Test Method for Determination of Organically Combined Sulfuric Anhydride by Extraction Titration, Test Method B
D5352-95R06 Test Method for Determination of Organically Combined Sulfuric Anhydride Ash-Gravimetric, Test Method C
D5353-95R06 Test Method for Determination of Total Desulfated Fatty Matter
D5354-95R06 Test Method for Determination of Total Active Ingredients in Sulfonated and Sulfated Oils
D5355-95R06 Test Method for Specific Gravity of Oils and Liquid Fats
D5356-93R03 Test Method for pH of Chrome Tanning Solutions
D5439-95R06 Test Method for Determination of Sediment in Moellon
D5440-93R03 Test Method for Determining the Melting Point of Fats and Oils
D5547-95R03 Test Method for Clay and Zeolite in Powdered Laundry Detergents by Atomic Absorption
D5548-05E01 Guide for Evaluating Color Transfer or Color Loss of Dyed Fabrics in Laundering
D5551-95R06 Test Method for Determination of the Cloud Point of Oil
D5552-00R05 Test Method for Resistance of Colored Leather to Bleeding
D5553-95R06 Test Method for Determination of the Unsaponifiable Nonvolatile Matter in Sulfated Oils
D5554-95R06 Test Method for Determination of the Iodine Value of Fats and Oils
D5555-95R06 Test Method for Determination of Free Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils Used in Fat Liquors and Stuffing Compounds
D5556-95R06 Test Method for Determination of the Moisture and Other Volatile Matter Contained in Fats and Oils Used in Fat Liquors and Softening Compounds
D5557-95R06 Test Method for Determination of Insoluble Impurities Contained in Fats and Oils Used in Fat Liquors and Stuffing Compounds
D5558-95R06 Test Method for Determination of the Saponification Value of Fats and Oils
D5559-95R06 Test Method for Determination of Acidity as Free Fatty Acids/Acid Number in the Absence of Ammonium or Triethanolamine Soaps in Sulfonated and Sulfated Oils
D5560-95R06 Test Method for Determination of Neutral Fatty Matter Contained in Fats and Oils
D5562-95R06 Test Method for Determination of the Acidity as Free Fatty Acids/Acid Number in the Presence of Ammonium or Triethanolamine Soaps
D5564-95R06 Test Method for Determination of the Total Ammonia Contained in Sulfonated or Sulfated Oils
D5565-95R06 Test Method for Determination of the Solidification Point of Fatty Acids Contained in Animal, Marine, and Vegetable Fats and Oils
D5566-95R06 Test Method for Determination of Inorganic Salt Content of Sulfated and Sulfonated Oils
D5678-95R02 Test Method for Freeze/Thaw Resistance of Wax Emulsion Floor Polish
D5806-95R03 Test Method for Disinfectant Quaternary Ammonium Salts by Potentiometric Titration
D6012-03 Test Method for Determination of Resistance of Leather to (Bleeding) Color Stain Transfer
D6013-00R05 Test Method for Determination of Area Stability of Leather to Laundering
D6014-00R05 Test Method for Determination of Dynamic Water Absorption of Leather Surfaces
D6015-00R05 Test Method for Static Water Absorption of Leather
D6016-06 Test Method for Determination of Nitrogen, Water Extractable in Leather

D6017-97R03 Test Method for Determination of Magnesium Sulfate (Epsom Salt) in Leather

D6018-96R06 Test Method for Determining the Presence of Lead Salts in Leather

D6019-96R06 Test Method for Determination of Chromic Oxide in Basic Chromium Tanning Liquors (Ammonium Persulfate Oxidation)

D6020-00R05 Practice for Calculation of (Non-Mineral) Combined Tanning Agents and Degree of Tannage

D6075-00R05 Test Method for Cracking Resistance of Leather

D6076-03 Test Method for Shrinkage Temperature of Leather

D6077-00R05 Test Method for Trapezoid Tearing Strength of Leather

D6116-00R05 Test Method for Blocking

D6173-97R05 Test Method for Determination of Various Anionic Surfactant Actives by Potentiometric Titration

D6174-01R06 Test Method for Inorganic Sulfate in Surfactants by Potentiometric Lead Titration

D6182-00R05 Test Method for Flexibility and Adhesion of Finish on Leather

D6183-00R05 Test Method for Tackiness of Finish on Leather

D6205-06 Practice for Calibration of the James Static Coefficient of Friction Machine

D6215 Guide for Removal of Oily Soils from Metal Surfaces

D6401-99R04 Test Method for Determining Non-Tannins and Tannin in Extracts of Vegetable Tanning Materials

D6402-99R04 Test Method for Determining Soluble Solids and Insolubles in Extracts of Vegetable Tanning Materials

D6403-99R04 Test Method for Determining Moisture in Raw and Spent Materials

D6404-99R04 Practice for Sampling Vegetable Materials Containing Tannin

D6405-99R04 Practice for Extraction of Tannins from Raw and Spent Materials

D6406-99R04 Test Method for Analysis of Sugar in Vegetable Tanning Materials

D6407-99R04 Test Method for Analysis of Iron and Copper in Vegetable Tanning Materials

D6408-99R04 Test Method for Analysis of Tannery Liquors

D6409-99R04 Practice for Color Tests with Sheepskin Skiver

D6410-99R04 Test Method for Determining Acidity of Vegetable Tanning Liquors

D6625-01R07 Practice for Conducting a Test of Protective Properties of Polish Applied to a Painted Panel Using Fluorescent UV-Condensation Light- and Water-Exposure Apparatus

D6656-01R06 Test Method for Determination of Chromic Oxide in Wet Blue (Perchloric Acid Oxidation)

D6657-01R06 Test Method for pH of Wet Blue

D6658-01R06 Test Method for Volatile Matter (Moisture) of Wet Blue by Oven Drying

D6659-01 Practice for Sampling and Preparation of Wet Blue for Physical and Chemical Tests

D6714-01R06 Test Method for Chromic Oxide in Ashed Wet Blue (Perchloric Acid Oxidation)

D6715-01 Practice for Sampling and Preparation of Salt Preserved (Cured) Hides and Skins for Chemical and Physical Tests

D6716-06 Test Method for Total Ash in Wet Blue

D6827-02 Test Method for Zinc Analysis of Floor Polishes and Floor Polish Polymers By Flame Atomic Absorption (A.A.)

D7225-06 Guide for Blood Cleaning Efficiency of Detergents and Washer-Disinfectors

D7255-06E01 Test Method for Abrasion Resistance of Leather (Rotary Platform, Double-Head Method)

D7340-07 Practice for Thermal Conductivity of Leather

E1907-06A Guide to Methods of Evaluating Moisture Conditions of Concrete Floors to Receive Resilient Floor Coverings

F0137-03 Test Method for Flexibility of Resilient Flooring Materials with Cylindrical Mandrel Apparatus

F0141-04 Terminology Relating to Resilient Floor Coverings

F0142 Test Method for Indentation of Resilient Floor Tiles (McBurney Test)

F0150-06 Test Method for Electrical Resistance of Conductive and Static Dissipative Resilient Flooring

F0373-06 Test Method for Embossed Depth of Resilient Floor Coverings

F0386-02 Test Method for Thickness of Resilient Flooring Materials Having Flat Surfaces

F0387-02 Test Method for Measuring Thickness of Resilient Floor Covering With Foam Layer

F0410-02 Test Method for Wear Layer Thickness of Resilient Floor Coverings by Optical Measurement

F0510-93R04 Test Method for Resistance to Abrasion of Resilient Floor Coverings Using an Abrader with a Grit Feed Method

F0511-04 Test Method for Quality of Cut (Joint Tightness) of Resilient Floor Tile

F0693-01R07 Practice for Sealing Seams of Resilient Sheet Flooring Products by Use of Liquid Seam Sealers

F0710-05 Practice for Preparing Concrete Floors to Receive Resilient Flooring
F0924-90R04 Test Method for Resistance to Puncture of Cushioned Resilient Floor Coverings
F0925-02 Test Method for Resistance to Chemicals of Resilient Flooring
F0970-06 Test Method for Static Load Limit
F1037-05 Test Method for Visual Rating of Appearance of Resilient Floors After In-Service Exposure to Foot Traffic
F1066-04 Specification for Vinyl Composition Floor Tile
F1265-03A Test Method for Resistance to Impact for Resilient Floor Tile
F1303-04 Specification for Sheet Vinyl Floor Covering with Backing
F1304-03 Test Method for Deflection of Resilient Floor Tile
F1344-04 Specification for Rubber Floor Tile
F1482-04 Practice for Installation and Preparation of Panel Type Underlayments to Receive Resilient Flooring
F1514-03 Test Method for Measuring Heat Stability of Resilient Flooring by Color Change
F1515-03 Test Method for Measuring Light Stability of Resilient Flooring by Color Change
F1516-03 Practice for Sealing Seams of Resilient Flooring Products by the Heat Weld Method (when Recommended)
F1700-04 Specification for Solid Vinyl Floor Tile
F1859-04 Specification for Rubber Sheet Floor Covering Without Backing
F1860-04 Specification for Rubber Sheet Floor Covering With Backing
F1861-02 Specification for Resilient Wall Base
F1869-04 Test Method for Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride
F1913-04 Specification for Vinyl Sheet Floor Covering Without Backing
F1914-06 Test Methods for Short-Term Indentation and Residual Indentation of Resilient Floor Covering
F2034-03E01 Specification for Sheet Linoleum Floor Covering
F2055-00 Test Method for Size and Squareness of Resilient Floor Tile by Dial Gage Method
F2169-02 Specification for Resilient Stair Treads
F2170-02 Test Method for Determining Relative Humidity in Concrete Floor Slabs Using Probes
F2195-07 Specification for Linoleum Floor Tile
F2199-02 Test Method for Determining Dimensional Stability of Resilient Floor Tile after Exposure to Heat
F2419-05 Practice for Installation of Thick Poured Gypsum Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring
F2420-05 Test Method for Determining Relative Humidity on the Surface of Concrete Floor Slabs Using Relative Humidity Probe Measurement and Insulated Hood
F2421-05 Test Method for Measurement of Resilient Floor Plank by Dial Gage
F2471-05 Practice for Installation of Thick Poured Lightweight Cellular Concrete Underlayments and Preparation of the Surface to Receive Resilient Flooring

[Site Map](#) | [Online Support](#) | [Contact](#) | [Privacy Policy](#) | [IP Policy](#)

Copyright © 1996-2007 ASTM. All Rights Reserved.

ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA, 19428-2959 USA